

ORDINANCE NO. 2342

AN ORDINANCE OF THE CITY OF REDLANDS AMENDING SECTION 18.68.180 OF THE REDLANDS MUNICIPAL CODE RELATING TO NOISE PRODUCING EQUIPMENT IN THE MEDICAL FACILITY DISTRICT


THE CITY COUNCIL OF THE CITY OF REDLANDS DOES ORDAIN AS FOLLOWS:

Section 1. The text of Section 18.68.180 of the Redlands Municipal Code pertaining to noise producing equipment in the Medical Facility District is hereby deleted in its entirety and rewritten to read as follows:

"18.68.180 Noise Producing Equipment.

In the MF zone, all noise-producing equipment, including, but not limited to compressors and heating and air conditioning units, shall be insulated or enclosed so that the noise from such equipment does not exceed zone "A," Clearly Compatible Community Noise Equivalent Levels identified in Table 9.1 of the Redlands General Plan for all land use categories. The noise levels shall be met as measured at the property lines for properties in any zone including, but not limited to, residential zones, adjacent to the MF zone.

Section 2. The Mayor shall sign this ordinance and the City Clerk shall certify to the adoption of this ordinance and shall cause it, or a summary of it, to be published once in the Redlands Daily Facts, a newspaper of general circulation within the City, and thereafter, this ordinance shall take effect in accordance with law.



Mayor of the City of Redlands

ATTEST:


City Clerk

I, Lorrie Poyzer, City Clerk of the City of Redlands, hereby certify that the foregoing ordinance was duly adopted by the City Council at a regular meeting thereof held on the 18th day of March, 1997, by the following vote:

AYES:	Councilmembers Gilbreath, Banda; Mayor Larson
NOES:	None
ABSTAIN:	Councilmember Cunningham
ABSENT:	Councilmember Gil


City Clerk, City of Redlands