## RESOLUTION OF INTENTION NO.215.

Resolved that the public interest and convenience require and that it is the intention of the board of trustees of the city of Redlands to order the following street work to be done, to wit:-

1st. That Cajon street, from the south line of the roadway of West Citrus Avenue to the southerly line of Olive Avenue, be improved by having the following street work done thereon, to wit: (a) That the roadway of said Cajon street, between

said points,

including all intersections of streets (excepting such portions of Streets (excepting such portions of Cajon street, and intersections as are required by law to be kept in order or repair by any person or company having railroad tracks thereon, and such portions thereof now occupied by four wooden culverts, one at East Vine street, one at East Olive avenue, and one at east side of Cajon street, extending from West Citrus avenue, to present paving on Casin with the street and also excepting 27 inches in with the street and also excepting 27 inches in white the street and also excepting 27 inches the street and also excepting 27 inches the street and street and the street was therefor, where cobble stone gutter was therefor on file in the office of the City Engineer and specifications therefor on file in the office of the City Engineer and specifications therefor on file in the office of the City Cierk, and the street with steel plate out of the City Cierk, and the street with steel plate out of the City Cierk, and the street with steel plate out of the City Cierk, and the street with steel plate out of the City Cierk, and the street with steel plate out of the City Cierk, and the street with steel plate out of the City Cierk, and the street with steel plate out of the City Cierk, and the street with steel plate out of the City Cierk, and the street with steel plate out of the City Cierk, and the street with steel plate out of the City Engineer, and specifications therefor on file in the office of the City Engineer, and specifications therefor on side is treet (excepting along said culverts, and also excepting along said culverts, and side of the City Engineer of the City Engineer of the City Engineer of the City Engineer of the City

(d) that three walls to be constructed of concerete to be located or polones; one at East rine St. culvert; are at East and one at west alive avenue culverte. Each to be 12 inclos deep by 7 inches wide, and the full length of such culverte, and to be in accordance with place for the same on file in the engineer office, and specifications therefor on fele in the cely claster office, to all of which reference in Torel, made

344

Bur. The transfer to the Clarest Avenue when the past comb li. - 51 - - 250 Rest too she on them bline of Fieth solves, I be be wine the exiliciance street core some a cream ) That the ecodors of real real and Tong dispus

including all intersections of said street, and intersections is as a required by law to be kept in order or repair by any person or company having salivead tracks thereon, and also excepting such portions thereof as have already been paved, and such portion of West Citrus avenue now occupied by a wooden culvert along the south side thereof and extending from Orange street to a point opposite the northwest corner of Cajon street, and also excepting 27 inches in pith from the curb line on each side of said East and West Citrus avenue, along street and where copule stone street, and also excepting 27 inches in pith from the curb line of said street and where copule stone street have been add where copule stone street have been allowed there copules to the city from the curb line of said street of the City Clerk, of the constructed along the north gutter way of East Citrus avenue, extending across the entrance into Fifth street. Said culvert to be a 12-inch cast iron pipe, inside measurement, and in accordance with plans therfor on file in the office of the City Clerk, of the city Engineer, and specifications therefor on file in the office of the City Clerk, of the curb line of said street (excepting along said culverts, and excepting along where aiready grouted or surfaced with cement in accordance with the plans therefor on file in the office of the City Engineer, and specifications therefor on file in the office of the City Engineer, and specifications therefor on file in the office of the City Engineer, and specifications therefor on file in the office of the City Engineer, and specifications therefor on file in the office of the City Engineer, and specif

3rd. That Fifth street, from the north line of the roadway of East Citrus Avenue to the south line of the roadway of East Central Ayenue, be improved by having the following street work done thereon, to wit: (a) That the roadway of said Ka Fifth street, between said points, including

including all intersections of streets (excepting 27 inches in width from the curb line on each side of said street along the gutterway thereof, and also such portions of said street now occupied by a wooden bridge extending across said street near East Central avenue) be paved with asphaltic cement and broken stone base with asphaltic cement and cross-sections therefor on file in the office of the City Engineer, and specifications therefor on file in the office of the City Clerk. Call 1.

1. That four culverts be constructed to be located as follows: One across the south entrance of East State street, into Fifth street, and to be 24 inches wide and 8 inches high; one on the east and one on the west gutter side of Fifth street. connecting with the above culvert, and each to be 12 feet long, 12 inches wide and 8 inches high; one in the gutterway at the northeast corner of Fifth and East State street, and to be 12 feet long on the Fifth street side and 8 feet long on the East State street side, and 12 inches wide and 8 inches high, all inside measurements.

All said culverts to be constructed of contractions and the construction of th

and 8 inches high, all inside measurements.

All said culverts to be constructed of concrete with steel plate top, and all in accordance with plans therefor on file in the office of the City Engineer, and specifications therefor on file in the office of the City Clerk, and constructed of the City Clerk. That all cobble stone gutters along each side of said Fifth street to be payed as aforesaid, for a width of 27 inches from the curb line of said street (except where already grouted or surfaced with cement and also where said culverts are to be so constructed) shall be grouted and surfaced with cement, in accordance with plans therefor on file in the office of the City Engineer, and specifications therefor on file in the office of the City Engineer, and specifications therefor on file in the office of the City Clerk, the control of the City Clerk, the contr

4th. That East State street, from the east line of the roadway of Firth street to the west ourb line of Sixth street, be impreved by having the following street work done thereon to wit: (a) That the roadway of said Mast State street, between said points,

> (excepting 27 inches in width from e curb line on each side of said street, ong the gutterway thereof) shall be vived with asphaltic cement and broken one base, with asphalt wearing surface paved with asphaltic cement and street to be seen with plans, profile and cross-sections therefor on file in the office of the city engineer, and specifications therefor on file in the office of the city engineer, and specifications therefor on file in the office of the city clerk.
>
> That all tobble stone guiters along each side of said East State street to be paved as aforesaid for a width of 27 inches from the till line of said street (excepting where already grouted or surfaced with cement) shall be grouted and surfaced with cement, in accordance with plans therefor on file in the office of the City Engineer, and specifications therefor on file in the office of the City Clerk.

5th. That East and West Central avenue , from from the east ourb line of Fourth street to the east line of Fifth street, be improved by having the following street work done thereon, to wit: (a) That the readway of said Rest and West Central Avenue, between said points.

4iCL Nulca Lost Unent

including all intersections of streets (excepting 27 inches in width from the curb line on each side of said East and West Central avenue, along the gutter way thereof, and excepting such portions of said street and intersections as have already been paved) shall be paved with asphalit cement and broken stone base, with asphalit wearing surface, in accordance with plans, profile and the City Engineer, and specifications it the City Engineer, and specifications therefor on file in the office of the City Clerk.

That all cobble stone gutters along and West Central and West Centra

therefor on file in the omce of the Cay Clerk. That all cobble stone gutters along each side of said East and West Central avenue, to be paved as aforesaid, for a width of 27 inches from the curb lines of said street, shall be grouted and sur-faced with cement (excepting where al-ready grouted or surfaced with cement) in accordance with plans, profile and cross-section therefor on file in the office of the City Engineer, and specifications therefor on file in the compound on the City Cert

all said

tanis magazini da ∦ataniji te sa kali sa kali sa kati

The firest superintendent shall post notice of the work and the passage of this resolution as required by law, and shall cause a similar notice to be published for six days, in the manner required by law, in the Redlands Dally Facts, hereby designated for that purpose.

Softians The city clerk shall certify the passage of this resolution and shall cause the same to be published by two insertions as required by law, in The transfer of the purpose, and shall post the same for two days on or near the chamber door of this Board.

Sity Cler